

 **TUBESCA-COMABI**

PRESENTS

NEOLIUM EVO

TO BE **AGILE** ON YOUR
WORKSITES,
EVEN ON YOUR **OWN**



NEOLIUM EVO

#STURDY

#STABLE

#WELDED

#EASY_ASSEMBLY

#PRACTICAL_TRANSPORT

#COMPACT_STORAGE

Standard **EN 1004-1** | Decree **2004-924** | **5-year** guarantee


- Ø 50mm welded aluminium uprights and rungs
- Small footprint: ideal for confined spaces
- Easy to store and transport (designed to transform into a 138 x 78 x 175cm mobile trolley)
- Intuitive and easy assembly and disassembly by just one person
- Single-piece guardrail with quick-fit and strong jaws
- 61 x 102cm wooden platform and aluminium toe boards



Detachable and
inseparable folding
toe boards

Tool holder
optional





1 Single-piece guardrail

2 Assembly support handles for hanging up equipment

3 Wood-aluminium platform with set back toe boards

4 Guardrail attachment jaw

5 Stabiliser locking system

6 Ø 125mm wheels with brakes, adjustable by up to 18cm

QUICKLY TRANSFORMS INTO A **MOBILE TROLLEY**



Reference	Number of platforms	Overall product height (m)	Overall length (without stab) (m)	Overall width (without stab) (m)	Overall length (with stab) (m)	Overall width (with stab - max. adjustment) (m)	Folded height (m)	Folded width (m)	Folded length (m)	Maximum platform height (m)	Maximum working height (m)	Weight (kg)	Gencod
02976220	1	3.34	1.38	0.78	3.50	2.69	1.75	0.78	1.38	2.20	4.20	73	3178740250157
02976420	2	5.33	1.38	0.78	3.50	2.69	1.75	0.78	1.38	4.20	6.20	112	3178740250164
09074000	Tool holder											0.2	8711563239692

Platform (interior) **1.02 x 0.61m**
 Platform (exterior) **1.20 x 0.61m**
 Hatch passageway **0.56 x 0.55m**

WANT A QUOTE? GOT A QUESTION? CONTACT US:

