

 **TUBESCA-COMABI**
PRESENTS



VELDICE

THE **ULTRA-MOBILE** PLATFORM

THE LIGHTEST PLATFORM ON THE MARKET BECOMES ULTRAMOBILE

With its retractable 75 mm dia. wheels, VELOCE can be moved without any effort and in fully deployed status. It can be transported from one work point to another without any need to be carried.



VELOCE



Aluminium



Standard
PIRL 93 353*



Decree
2004-924



Maximum load
150 kg

1 PLATFORM

Non-slip 500 x 400 mm platform with integrated toe-boards (height: 100 mm)

2 STEPS

non-slip chequer-plate 80 mm wide

3 RETRACTABLE WHEELS

Ø 75 mm

no effort required and easy to set up



360° MOVEMENT




4 TOOL-HOLDER
in multi-functional fabric

5 GUARDRAIL
rigid on 3 sides with safety
straps at the back and automatic
positioning


6 LOCKS
rear anti-lift locks for
guaranteeing that the platform
cannot fold up when being moved


7 STAND
open at the rear for straddling WCs,
ducts, rails, etc. (width 210 mm)



8
Wide fixed feet for
3 and 4-step
models

MAXIMUM WORK HEIGHTS



Reference	Height (m) folded	Platform height (m)	Number of steps	Weight (kg)	Wheelbase (m)	Work height (m)		Packing dimensions
02272192	1.78	0.52	2	12.2	0.96	2.52	3178740203085	1.78x0.60x0.34
02272193	1.98	0.71	3	14.2	1.08	2.71	3178740203092	1.97x0.83x0.34
02272194	2.23	0.95	4	16.5	1.25	2.95	3178740203108	2.23x0.83x0.34
02272195	2.47	1.18	5	18.2	1.41	3.18	3178740203115	2.47x0.83x0.34



**FINISHING WORK
IN BUILDINGS**



**MAINTENANCE
SERVICING**



**FINISHING
PAINTWORK**



**MADE IN FRANCE AT OUR
AILLY-SUR-NOYE (80)
PRODUCTION UNIT**

**5-YEAR
WARRANTY**




YOUR SALES TOOLS



“Product on-site” page
www.tubesca-comabi.com




Video



Newsletter



Poster 40 x 60 cm



A4 six-page brochure



Product datasheet

Find more details on:
www.tubesca-comabi.com
 or ask for advice from your approved distributor

CONTACTS:

Phone: +33 (0)4 74 00 90 90 - E-mail: sales@tubesca-comabi.com

